



# TEST REPORT

98, Gyoyukwon-ro, Gwacheon-si, Gyeonggi-do, 13810, Rep. of KOREA

TEL 82-2-2164-0011

FAX 82-2-2634-1008

Report No : CTK-002085

Receipt Date : 2017.06.13.

Representative : Kwack, Bok-Hean

Test Completion Date : 2017.06.26.

Company name: YAKSUNDANG

Address : (Jegi-Dong, Yunju blde.)5F 72-2, Yangnyeongjungang-Ro, Dongdaemun-Gu, Seoul, Korea

Sample name : Herb Fumigation-Lady

## Test Results

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Pb	$\mu\text{g/g}$	-	3	Notice No. 2017-41 of the Ministry of Food and Drug Safety
As	$\mu\text{g/g}$	-	Not Detected	Notice No. 2017-41 of the Ministry of Food and Drug Safety
Hg	$\mu\text{g/g}$	-	Not Detected	Notice No. 2017-41 of the Ministry of Food and Drug Safety

- Method Detection Limit (MDL) -

Pb : 2  $\mu\text{g/g}$ As : 1  $\mu\text{g/g}$ Hg : 0.05  $\mu\text{g/g}$ 

- Usage of Report: QUALITY CONTROL

NOTE : 1. The test results of this test report are only limited in to the samples and sample names provided by the client and do not guarantee the quality of all products of the client. You can check website (www.ktr.or.kr) or QR code to verify the authenticity of the certificate.

2. This test report shall be used only within the purpose of its defined usage and shall not be used for public relation, advertisement and lawsuit.

3. This test report is only valid when printed on KTR original report paper with hologram and when re-issued by KTR. The copy and the electronic file of the test report are only for reference.

*Sung Yeon-kyo*

Tested by Sung Yeon-kyo  
E-mail: thronesyk@ktr.or.kr

*Kim Changseong*

Technical Manager: Kim Changseong  
Tel: 1577-0091(ARS ①→④)

2017.06.26.

**Korea Testing & Research Institute**  
President



QR Code for forgery

Page: 1 of 1

Electronic copy is for your reference only.

전자문서본(Electronic Copy)